



执行标准: GB/T706-2008《热轧型钢》GB/T706-2016《热轧型钢》、GB/T700-2006《碳素结构钢》

可提供产品定尺长度6米-24米, 其他长度或厚度请垂询本公司。

钢种等级: Q235B、Q345B、Q420B、Q460B、SS400、SS540、A、B、D、E、AH32、AH36、AH40、DH32、DH36、DH40、EH32、EH36、Q345qC、Q345qD

型号	截面尺寸(mm)			截面面积(cm <sup>2</sup> )	理论重量(kg/m)	外表面积(kg/m)	型号	截面尺寸(mm)			截面面积(cm <sup>2</sup> )	理论重量(kg/m)	外表面积(kg/m)
	b	d	r					b	d	r			
5	50	3	5.5	2.971	2.332	0.197	11	110	7	12	15.196	11.928	0.433
		4		3.897	3.059	0.197			8		17.238	13.535	0.433
		5		4.803	3.77	0.196			10		21.261	16.69	0.432
		6		5.688	4.465	0.196			12		25.2	19.782	0.431
5.6	56	3	6	3.343	2.624	0.221	12.5	125	8	14	19.75	15.504	0.492
		4		4.39	3.446	0.22			10		24.373	19.133	0.247
		5		5.415	4.251	0.22			12		28.912	22.696	0.247
		6		6.42	5.04	0.22			14		33.367	26.193	0.247
		7		7.404	5.812	0.219			16		37.739	29.625	0.246
6	60	5	6.5	5.829	4.576	0.236	14	140	10	14	27.373	21.488	0.275
		6		6.914	5.427	0.235			12		32.512	25.522	0.275
		7		7.977	6.262	0.235			14		37.567	29.49	0.275
		8		9.02	7.081	0.235			16		42.539	33.393	0.275
6.3	63	4	7	4.978	3.907	0.248	15	150	8	14	23.75	18.644	0.274
		5		6.143	4.822	0.248			10		29.373	23.058	0.295
7	70	4	8	5.57	4.372	0.275			12		34.912	27.406	0.294
		5		6.875	5.397	0.275			14		40.367	31.688	0.294
		6		8.16	6.406	0.275			15		43.063	33.804	0.294
		7		9.424	7.396	0.275	16	45.739	35.905	0.294			
		8		10.667	8.373	0.274	16	160	10	16	31.502	24.729	0.293
7.5	75	5	9	7.412	5.818	0.295			12		37.441	29.391	0.315
		6		8.797	6.905	0.294			14		43.296	33.987	0.314
		7		10.16	7.976	0.294			16		49.067	36.518	0.314
		8		11.503	9.03	0.294	18	180	12	16	42.241	33.159	0.314
		9		12.825	10.068	0.294			14		48.896	38.383	0.314
10	14.126	11.089	0.293	16	55.467	43.542			0.313				
8	80	5	9	7.912	6.211	0.315	18	61.055	48.634	0.354			
		6		9.373	7.376	0.314	20	200	14	18	54.642	42.894	0.354
		7		10.86	8.525	0.314			16		62.013	48.68	0.353
		8		123.303	9.658	0.314			18		69.301	54.401	0.353
		9		13.725	10.774	0.314			20		76.505	60.056	0.353
9	90	6	10	10.637	8.35	0.354	22	220	24	21	90.661	71.168	0.352
		7		12.301	9.656	0.354			16		68.664	53.901	0.393
		8		13.944	10.946	0.353			18		76.752	60.25	0.393
		9		15.566	12.219	0.353			20		84.756	56.533	0.393
		10		17.167	13.476	0.353			22		92.676	72.751	0.392
		12		20.306	15.94	0.352			24		100.512	78.902	0.392
10	100	6	12	11.932	9.366	0.393	25	250	26	24	108.264	84.987	0.391
		7		13.796	10.83	0.393			18		87.842	68.956	0.391
		8		15.638	12.276	0.393			20		97.045	76.18	0.39
		9		17.462	13.708	0.392			24		115.201	90.433	0.433
		10		19.261	15.12	0.392			26		124.154	97.461	0.433
		12		22.8	19.898	0.391			28		133.022	104.422	0.432
		14		26.256	20.611	0.391			30		141.807	111.318	0.431
		16		29.627	23.257	0.39			62		150.508	118.149	0.431